



SIRIM QAS International Sdn. Bhd.
(Company No.: 199601037981 (410334-X))
No.1, Persiaran Dato' Menteri, P.O.BOX 7035, Section 2,
40700 Shah Alam, Selangor Darul Ehsan, Malaysia
Tel: 010-372 1637
Fax: 03-55446688
www.sirim-qas.com.my

TEST REPORT

REPORT NO : 2024CE0549

PAGE : 1 OF 4

This Test Report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This Test Report shall not be reproduced, except in full and shall not be used for any purpose by any means or forms (including but not limited to advertising purposes) without written approval from the Head of Quality, Occupational Safety and Health & Environment (QOSHE), SIRIM QAS International Sdn. Bhd. Please refer to the last page of this Test Report for Conditions Relating to the Use of Test Report.

THIS TEST REPORT IS ISSUED IN SECURED PDF SOFTCOPY

Applicant : AMERSEAL INDUSTRIAL SDN. BHD.
No. 2, Jalan IM 3/6, Kawasan Perindustrian IM 3,
Bandar Indera Mahkota,
25200 Kuantan, Pahang, Malaysia.

Manufacturer : AMERSEAL INDUSTRIAL SDN. BHD.
No. 2, Jalan IM 3/6, Kawasan Perindustrian IM 3,
Bandar Indera Mahkota,
25200 Kuantan, Pahang, Malaysia.

Product : TESON HYBRID SEALANT - LOW MODULUS 600ML (TMS-600)

Reference Standard / Method of Test : ASTM C 920 – 2018 - Title: Standard Specification for Elastomeric Joint Sealants

Description of sample : Received one (1) sample of TESON HYBRID SEALANT – LOW MODULUS 600ML (TMS-600) for testing which was identified in Page No. 2

Date Received of Complete Application : 01 March 2024

Job No. : J20243670383

Description of Test Results : This test report covers only test clauses as requested by Applicant to SIRIM QAS International Sdn. Bhd. The test results for the submitted test sample as described in this test report complied with the requirements of the above reference standard at the respective clauses tested

Issued Date : 08 March 2024

Approved Signatory;

(MUHAMMAD FAIZ BIN ZAINON)
Testing Executive



(DALHA BIN KATNI @ RAHMAT)
Head

Chemical, Polymer and Composite Section
Testing Services Department

This Test Report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This Test Report shall not be reproduced, except in full and shall not be used for any purpose by any means or forms (including but not limited to advertising purposes) without written approval from the Head of Quality, Occupational Safety and Health & Environment (QOSHE), SIRIM QAS International Sdn. Bhd. Please refer to the last page of this Test Report for Conditions Relating to the Use of Test Report.

Description of Sample:

Product : TESON HYBRID SEALANT – LOW MODULUS 600ML (TMS-600)
Type : Sausage
Size : 600ml

Test Location : Chemical, Polymer & Composite Section,
Building 16, SIRIM Complex, No. 1 Persiaran Dato' Menteri,
Section 2, 40700 Shah Alam, Selangor, Darul Ehsan, Malaysia

Test Duration : 6th March 2024 – 7th March 2024

Brand	Sealant Type	Grade	Use	Class
TESON	S	NS	G,A,M	25

Note:

- Type S = Single component sealant
Grade NS = A nonsag or gunnable sealant
Use G = A sealant that meets this requirements of this specification when tested on glass specimens in accordance with 9.9 and 9.11
Use A = A sealant that meets this specification when tested on aluminium specimens in accordance with 9.9 and 9.10
Use M = A sealant that meets the requirements of this specification when tested on mortar specimens in accordance with 9.9 and 9.10

Photo of sample received:



This Test Report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This Test Report shall not be reproduced, except in full and shall not be used for any purpose by any means or forms (including but not limited to advertising purposes) without written approval from the Head of Quality, Occupational Safety and Health & Environment (QOSHE), SIRIM QAS International Sdn. Bhd. Please refer to the last page of this Test Report for Conditions Relating to the Use of Test Report.

Test Results

Product : TESON HYBRID SEALANT – LOW MODULUS 600ML (TMS-600)
Brand : TESON
Type : Sausage
Size : 600ml
Sealant Type : S
Grade : NS
Class : 25
Use : G,A,M

No.	Type of Test	Requirements ASTM C 920-2018 Clause 8 : Physical Requirements	Results	Remarks
1.	Rheological Properties (ASTM C 920 Clause 9.2 & ASTM C 639)	<p>Clause 8.1.1 : Grade P (Pourable or Selflevelling) sealant shall have flow characteristics such that when tested in accordance with Test Method C 639 it shall exhibit a smooth, level surface. (Refer to Type I and III in the test).</p> <p>Clause 8.1.2 : Grade NS (Nonsag) or gunnable sealant shall have flow characteristics such that when tested in accordance with Test Method C 639 it does not sag more than 4.8 mm (3/16 in.) in vertical displacement. Also the sealant show no deformation in horizontal displacement. (Refer to Types II and IV in the test).</p>	Grade NS: Vertical : 0 mm Horizontal: No deformation	Pass Pass



This Test Report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This Test Report shall not be reproduced, except in full and shall not be used for any purpose by any means or forms (including but not limited to advertising purposes) without written approval from the Head of Quality, Occupational Safety and Health & Environment (QOSHE), SIRIM QAS International Sdn. Bhd. Please refer to the last page of this Test Report for Conditions Relating to the Use of Test Report.

CONDITIONS RELATING TO THE USE OF SIRIM QAS INTERNATIONAL TEST REPORT

1. A Test Report will be issued in respect of Testing Services conducted and shall relate only to the sample actually tested. SIRIM QAS International makes no warranty whatsoever and the Applicant shall not represent in any manner that any duplication or mass production of the Product is same as the sample actually tested or that SIRIM QAS International has tested any of the duplicated or mass-produced Product. Measurement uncertainty shall be included in the Test Report when there is no statement of conformity required. When a statement of conformity to a specification or standard is applied, the Simple Acceptance Rule is used. Unless otherwise stated, the Acceptance Rule with Guard Band is used.
2. The Test Report shall not be misused, amended, changed, varied or modified in any manner whatsoever by the Applicant or otherwise.
3. If the Test Report is to be furnished to any third party or to the public, each such Test Report shall be furnished in full, legible and in its entirety.
4. The Test Report shall not be reproduced and shall not in any event be used for any advertising purposes or whatsoever without written approval from the Head of Quality, Occupational Safety and Health & Environment (QOSHE) of SIRIM QAS International of No 1, Persiaran Dato' Menteri, Building 8, Section 2, P.O. Box 7035, 40700 Shah Alam, Selangor Darul Ehsan.
5. Customer (Applicant/Manufacture/Factory,etc.) is not permitted to use any SIRIM QAS International, SIRIM or other SIRIM's subsidiaries logo or words on packaging, sample's manual, technical specification, items and products.
6. Subject to consent and written approval from the Head of Quality, Occupational Safety and Health & Environment (QOSHE) of SIRIM QAS International, the customer (Applicant/Manufacture/Factory,etc.) may use SIRIM QAS International logo or word on the promotional materials and the Applicant shall only include the phrase, "A sample of this product has been tested by SIRIM QAS International ...(Test Report No) ...(dated) ...(for what test) ...(to which standard)" or such similar words which stress that only the sample was actually tested. This phrase shall only be used for the purpose of product advertisement or product promotion (eg; brochures/flyers/official website). For avoidance of doubt, the statement shall not be used on the sample, packaging of the sample, items and products.
7. In the event there is an investigation from a Government Regulatory Agency concerning the Applicant's Test Report, SIRIM QAS International may disclose the information pertaining to the Test Report for purposes of such investigation.
8. In the event the Applicant is found in breach of this provision, SIRIM QAS International, SIRIM and/or other SIRIM's subsidiaries without prejudice to any other rights and remedies may take whatever action necessary including but not limited to:
 - a) Informing and placing a notice in the media;
 - b) Obtaining an injunction from Court (cost on a solicitor-client basis to be borne by the Applicant);
 - c) Refusing to accept any further Product for Testing Services from the Applicant or whosoever related to the Applicant, whether subsidiary or otherwise;
 - d) Instructing the Applicant to withdraw and recall the advertisement, statement or document in question and advertise a clarification and apology to SIRIM QAS International, SIRIM and/or other SIRIM's subsidiaries twice in a national publication of SIRIM QAS International's choice at the Applicant's sole cost; and
 - e) Informing or lodging a report pertaining the Applicant's Test Report with the relevant authorities.
9. SIRIM QAS International is committed in supporting an environmentally-friendly business practices by reducing paper consumption, therefore we do not issue any hard copy of Test Report to the Applicant. However, additional certified true copy(ies) or softcopy of the Test Report may be issued upon request by the Applicant upon payment of the relevant fee. The certified true copy(ies) or softcopy of test report shall only be given for test report issued not more than three (3) years from the date of issuance.
10. Issuance of Amendment Report due to the following reasons are chargeable to the Applicant :
 - a) Changes in details of the Applicant name and/or address;
 - b) Changes in details of the Manufacturer's name and/or address;
 - c) Changes in details of the Factory location name and/or address;
 - d) Changes in details of the model and/or type designation
11. However, issuance of Supplementary Report due to the following reasons are FOC :
 - a) Misprints and typo errors;
 - b) Missing technical information as agreed in PP1 form;
 - c) Test data not reported;
 - d) Mistake in reporting of test data
12. Corrections to report shall only be allowed if the date of issuance of the original report has not exceeded 6 months and shall be limited to a maximum 3 times, after either case whichever occurs earlier, an Amendment or a Supplementary Report shall not be issued.